




ARCHITECTURAL STREET FURNISHINGS

www.asfco.co.uk info@asfco.co.uk 01484 401414


**STEEL, STAINLESS
STEEL & CORTEN
TREE GRILLES &
GUARDS**



- ASF Steel Tree Grilles
Pages 2 - 4
3 Products
- ASF Tree Grille & Guard Combination System
Pages 5 - 6
2 Products
- ASF Resibond Tree Grille
Pages 7
1 Product
- ASF Max Pave Tree Grille
Pages 8
1 Product
- ASF Laser Cut Tree Grilles
Pages 9 - 32
24 Products
- ASF Open Mesh Tree Grille
Pages 33
1 Product
- ASF Steel Tree Guards
Pages 34 - 44
12 Products
- ASF Laser Cut Steel Tree Guards
Pages 45 - 48
4 Products



Available in all sizes 800mm² to 2000mm²



1:15

Tree Grille | ASF 3000/ST Steel Tree Grilles

Material:

Dimensions:

Finish:

Security Fixing:

Irrigation Holes & Covers:

Uplighters:

Manufactured in 275 carbon steel from recycled sources. Other grades of mild steel are also available

Grilles are available in a large range of sizes: 800, 900, 1000, 1200, 1400, 1500, 1800 & 2000mm²
Grilles are also available rectangular, circular and to any bespoke dimension required

Hot Dip Galvanised to BS EN 1461:2009


Grilles and frames are supplied to bolt together using security fixings

ASF can supply tree grilles with irrigation holes and covers in order to give access to the irrigation of the tree root system. Other products relating to irrigation are available on request

Uplighter units can be incorporated into tree grilles to provide an additional feature



Available in all sizes 800mm² to 2000mm²



1:15

Tree Grille | ASF 3000/ST Steel Tree Grilles

Material:

Dimensions:

Finish:

Security Fixing:

Irrigation Holes & Covers:

Uplighters:

Manufactured in 275 carbon steel from recycled sources. Other grades of mild steel are also available

Grilles are available in a large range of sizes: 800, 900, 1000, 1200, 1400, 1500, 1800 & 2000mm²
Grilles are also available rectangular, circular and to any bespoke dimension required

Hot Dip Galvanised to BS EN 1461:2009


Grilles and frames are supplied to bolt together using security fixings

ASF can supply tree grilles with irrigation holes and covers in order to give access to the irrigation of the tree root system. Other products relating to irrigation are available on request

Uplighter units can be incorporated into tree grilles to provide an additional feature



Available in all sizes 800mm² to 2000mm²



1:15

Tree Grille | ASF 3000/SS Stainless Steel Tree Grilles

Material:

Manufactured in stainless steel from recycled sources. Available in grade 304 or grade 316 stainless steel

Dimensions:

Grilles are available in a large range of sizes: 800, 900, 1000, 1200, 1400, 1500, 1800 & 2000mm²
Grilles are also available rectangular, circular and to any bespoke dimension required

Finish:

Passive dipped and all top surfaces polished

Security Fixing:


Grilles and frames are supplied to bolt together using security fixings

Irrigation Holes & Covers:

ASF can supply tree grilles with irrigation holes and covers in order to give access to the irrigation of the tree root system. Other products relating to irrigation are available on request

Uplighters:

Uplighter units can be incorporated into tree grilles to provide an additional feature



Tree Grille | ASF 3001/SS Stainless Steel Tree Protection System

Material:

Manufactured in stainless steel from recycled sources – grades 316 and grades 304 available
Also available in 275 carbon steel from recycled sources

Finish:


Stainless steel versions finished satin brush polished
Mild steel versions finished galvanised
Powder coating also available

Supporting Frames:

All tree grilles come with medium duty steel frames in two halves. Other heavier duty frames or paving support frames available on request

Security Fixing:

Tree grilles come with facility to fix directly to supporting frames thus increasing rigidity and also preventing unauthorised removal



1:25

Tree Grille | ASF 3002/SS Stainless Steel Tree Protection System

Material:

Manufactured in stainless steel from recycled sources – grades 316 and grades 304 available
Also available in 275 carbon steel from recycled sources

Finish:


Stainless steel versions finished satin brush polished
Mild steel versions finished galvanised
Powder coating also available

Supporting Frames:

All tree grilles come with medium duty steel frames in two halves. Other heavier duty frames or paving support frames available on request

Security Fixing:

Tree grilles come with facility to fix directly to supporting frames thus increasing rigidity and also preventing unauthorised removal



1:15

Tree Grille | ASF Resi Bond Tree Grille

Material:

Manufactured in 275 carbon steel from recycled sources

Finish:

Finished hot dip galvanised to BS EN 1461:2009

Dimensions:


Available in a range of sizes from 1000mm² to 1500mm². Bespoke sizes available on request. Also available rectangular and circular

Irrigation Holes:

ASF resibond grille can be manufactured to accept irrigation units

Tree Guards:

Can be manufactured to accept ASF tree guards



1:20

Tree Grille | ASF Max Pave (Paving Infill) Tree Grille

Material:

Manufactured in 275 carbon steel from recycled sources

Finish:

Finished hot dip galvanised to BS EN 1461:2009

Optional Finish:


ASF Max Pave can also be manufactured in stainless steel and all visible faced be finished satin brush polished

Dimensions:

Available in a range of sizes from 1000mm² to 3000mm². Bespoke sizes available on request. Also available rectangular and circular

Tree Guards:

Can be manufactured to accept ASF tree guards



1:20

Tree Grille | ASF Planets Square Laser Cut Tree Grille Stainless Steel

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Planets Square Laser Cut Tree Grille Powder Coated

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Planets Square Laser Cut Tree Grille Corten

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Cubes Square Laser Cut Tree Grille Stainless Steel

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Cubes Square Laser Cut Tree Grille Powder Coated

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Cubes Square Laser Cut Tree Grille Corten

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:

ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:


ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



800 to 2500mm²



1:20

Tree Grille | ASF Branch Square Laser Cut Tree Grille Stainless Steel

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:

ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:


ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



800 to 2500mm²



1:20

Tree Grille | ASF Branch Square Laser Cut Tree Grille Powder Coated

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:

ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:


ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



800 to 2500mm²



1:20

Tree Grille | ASF Branch Square Laser Cut Tree Grille Corten

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Rivulet Square Laser Cut Tree Grille Stainless Steel

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Rivulet Square Laser Cut Tree Grille Powder Coated

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Rivulet Square Laser Cut Tree Grille Corten

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from 800 to 2500mm². Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Planet Round Laser Cut Tree Grille Stainless Steel

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from \varnothing 800mm to \varnothing 2500mm. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Planet Round Laser Cut Tree Grille Powder Coated

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from \varnothing 800mm to \varnothing 2500mm. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Planet Round Laser Cut Tree Grille Corten

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from $\varnothing 800\text{mm}$ to $\varnothing 2500\text{mm}$. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Cubes Round Laser Cut Tree Grille Stainless Steel

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from $\varnothing 800\text{mm}$ to $\varnothing 2500\text{mm}$. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Cubes Round Laser Cut Tree Grille Powder Coated

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from \varnothing 800mm to \varnothing 2500mm. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Cubes Round Laser Cut Tree Grille Corten

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from $\varnothing 800\text{mm}$ to $\varnothing 2500\text{mm}$. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Branch Round Laser Cut Tree Grille Stainless Steel

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from $\varnothing 800\text{mm}$ to $\varnothing 2500\text{mm}$. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Branch Round Laser Cut Tree Grille Powder Coated

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from $\varnothing 800\text{mm}$ to $\varnothing 2500\text{mm}$. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Branch Round Laser Cut Tree Grille Corten

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from $\varnothing 800\text{mm}$ to $\varnothing 2500\text{mm}$. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Rivulet Round Laser Cut Tree Grille Stainless Steel

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from \varnothing 800mm to \varnothing 2500mm. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Rivulet Round Laser Cut Tree Grille Powder Coated

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from \varnothing 800mm to \varnothing 2500mm. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Rivulet Round Laser Cut Tree Grille Corten

Material:

ASF Laser cut grilles can be manufactured in stainless steel (grades 304 & 316 available), mild steel or corten steel

Finish:

Stainless Steel finished brush polished. Other Polish finishes or mill finished also available
Mild steel grilles are finished galvanised and can be powder coated in any RAL/BS colour if needed
Corten steel grilles are left bare metal to passivate to a rust coloured finish

Dimensions:


ASF laser cut grilles are available in sizes from \varnothing 800mm to \varnothing 2500mm. Other sizes, rectangular and hexagonal laser cut grilles are also available

Design Options:

ASF laser cut grilles can have design alterations, or be manufactured to a completely bespoke design if required

Options:

ASF laser cut grilles can be manufactured to accept irrigation units, tree guards and uplighters



1:20

Tree Grille | ASF Open Mesh Steel Tree Grille

Material:

Manufactured in 275 carbon steel from recycled sources, utilising open mesh gantry flooring as the main material

Finish:



ASF open mesh tree grilles are finished galvanised. Polyester powder coating in any RAL/BS colour is available

Dimensions:

ASF open mesh grilles are available from 700 to 1800mm². Other sizes are available. Also available rectangular and circular.

Options:

ASF open mesh grilles can be manufactured to accept irrigation units, uplighters and ASF tree guards



Tree Guards ASF 801 - Bolt Fix Base

Materials

Mild Steel

Standard Finish

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Optional Finish



Galvanised to BS EN 1461:2009. Also available in polished stainless steel

Fixing Options

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Other Options

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 802 - Bolt Fix Base

Materials

Standard Finish

Optional Finish

Fixing Options

Other Options



Mild Steel

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Galvanised to BS EN 1461:2009. Also available in polished stainless steel

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 803 - Bolt Fix Base

Materials

Standard Finish

Optional Finish

Fixing Options

Other Options



Mild Steel

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Galvanised to BS EN 1461:2009. Also available in polished stainless steel

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 804 - Bolt Fix Base



Materials
Standard Finish
Optional Finish
Fixing Options
Other Options

Mild Steel

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour
 Galvanised to BS EN 1461:2009. Also available in polished stainless steel

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 805 - Bolt Fix Base

Materials

Mild Steel

Standard Finish

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Optional Finish



Galvanised to BS EN 1461:2009. Also available in polished stainless steel

Fixing Options

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Other Options

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 806 - Bolt Fix Base

Materials

Mild Steel

Standard Finish

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Optional Finish



Galvanised to BS EN 1461:2009. Also available in polished stainless steel

Fixing Options

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Other Options

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 807 - Bolt Fix Base

Materials

Mild Steel

Standard Finish

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Optional Finish



Galvanised to BS EN 1461:2009. Also available in polished stainless steel

Fixing Options

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Other Options

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 808 - Bolt Fix Base

Materials

Mild Steel

Standard Finish

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Optional Finish



Galvanised to BS EN 1461:2009. Also available in polished stainless steel

Fixing Options

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Other Options

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 809 - Bolt Fix Base

Materials

Mild Steel

Standard Finish

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Optional Finish



Galvanised to BS EN 1461:2009. Also available in polished stainless steel

Fixing Options

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Other Options

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 810 - Bolt Fix Base

Materials

Mild Steel

Standard Finish

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Optional Finish



Galvanised to BS EN 1461:2009. Also available in polished stainless steel

Fixing Options

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Other Options

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 811 - Bolt Fix Base

Materials

Mild Steel

Standard Finish

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Optional Finish



Galvanised to BS EN 1461:2009. Also available in polished stainless steel

Fixing Options

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Other Options

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards ASF 812 - Bolt Fix Base

Materials

Mild Steel

Standard Finish

Acid etched, zinc rich primed and polyester powder coated in any RAL/BS colour

Optional Finish



Galvanised to BS EN 1461:2009. Also available in polished stainless steel

Fixing Options

If used with ASF Supporting Frames & Tree Grilles, the base of tree guard bolts directly to the inner of the Supporting Frame. If not used with ASF Supporting Frame & Tree Grilles, the Tree Guards come with 400mm length ground fixing legs

Other Options

Standard Height - 1800mm Other heights on request Standard Diameter - 420mm Outside Diameter. Other Diameters available on request



Tree Guards | ASF Laser Cut Guards LC001

Material:

Mild steel

Standard Finish:

Hot Dip Galvanised and polyester powder coated to any standard RAL or BS colour

Optional Finishes:


ASF laser cut tree guards can be manufactured in stainless steel and polish finished if required. Guards can be supplied galvanised only if required.

Adaptations:

ASF laser cut tree guards are designed to bolt into bespoke manufactured support frames to compliment any ASF tree grille, they can if needed, also be manufactured with ground fixing spikes or any base plate adaptation to suite other site needs.

Technical spec:

ASF laser cut tree guards are 1500mm high as standard but can be made taller or shorter if required. As with all ASF tree guards, they are manufactured to the diameter dictated by the grille or tree they are surrounding



Tree Guards | ASF Laser Cut Guards LC002

Material:

Mild steel

Standard Finish:

Hot Dip Galvanised and polyester powder coated to any standard RAL or BS colour

Optional Finishes:


ASF laser cut tree guards can be manufactured in stainless steel and polish finished if required. Guards can be supplied galvanised only if required.

Adaptations:

ASF laser cut tree guards are designed to bolt into bespoke manufactured support frames to compliment any ASF tree grille, they can if needed, also be manufactured with ground fixing spikes or any base plate adaptation to suite other site needs.

Technical spec:

ASF laser cut tree guards are 1500mm high as standard but can be made taller or shorter if required. As with all ASF tree guards, they are manufactured to the diameter dictated by the grille or tree they are surrounding



Tree Guards | ASF Laser Cut Guards LC003

Material:

Mild steel

Standard Finish:

Hot Dip Galvanised and polyester powder coated to any standard RAL or BS colour

Optional Finishes:



ASF laser cut tree guards can be manufactured in stainless steel and polish finished if required. Guards can be supplied galvanised only if required.

Adaptations:

ASF laser cut tree guards are designed to bolt into bespoke manufactured support frames to compliment any ASF tree grille, they can if needed, also be manufactured with ground fixing spikes or any base plate adaptation to suite other site needs.

Technical spec:

ASF laser cut tree guards are 1500mm high as standard but can be made taller or shorter if required. As with all ASF tree guards, they are manufactured to the diameter dictated by the grille or tree they are surrounding



Tree Guards | ASF Laser Cut Guards LC004

Material:

Mild steel

Standard Finish:

Hot Dip Galvanised and polyester powder coated to any standard RAL or BS colour

Optional Finishes:

ASF laser cut tree guards can be manufactured in stainless steel and polish finished if required. Guards can be supplied galvanised only if required.

Adaptations:

ASF laser cut tree guards are designed to bolt into bespoke manufactured support frames to compliment any ASF tree grille, they can if needed, also be manufactured with ground fixing spikes or any base plate adaptation to suite other site needs.

Technical spec:

ASF laser cut tree guards are 1500mm high as standard but can be made taller or shorter if required. As with all ASF tree guards, they are manufactured to the diameter dictated by the grille or tree they are surrounding